

MARQUIS™ 420 Sport Coupe



NUVOLARI  LENARD™
Naval Architects Venice, Italy

Design and Styling: Nuvolari Lenard Naval Architecture, Venice, Italy
Crafted by Marquis Yachts, USA

SPECIFICATIONS

LOA (with platform & gunnel molding)	43'7"	13,3 m
Molded Hull Length	40'7"	12,4 m
Beam (with gunnel molding)	13'11"	4,2 m
Draft	43"	1,2 m
Bridge Clearance (including anchor light mast)	13'9"	4,2 m
Hull Length	38'2"	11,6 m
Fuel System	300 U.S. gal.	1136 liters
Holding Tank	45 U.S. gal.	170 liters
Water System	140 U.S. gal.	530 liters
Weight (with fuel & water)	31,000 lbs.	14061 kg
Cabin Headroom	6'5"	2 m
Sleeps	6	



MARQUIS™ 420 Sport Coupe

CONSTRUCTION

- ◇ Cherry wood cabinetry and trim throughout with high-gloss Marquis™ jewel finish consisting of multiple coats, hand buffed.
- ◇ Fiberglass hat section stringer system
- ◇ Fiberglass structural stringers with laminated aluminum plates
- ◇ Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, & cabintops
- ◇ Solid fiberglass laminate hull bottoms with Knytex substrates & vinylester barrier coat
- ◇ Tinted, tempered safety glass frameless window systems
- ◇ Unitized deck, cockpit, & cabintop construction with integral aluminum truss reinforcement in cabintop structure

MECHANICAL

- ◇ Air conditioning - self contained system, 2-zone - 10,000 BTU for master stateroom; (1) 12,000 BTU & (1) 16,000 BTU for dinette & salon; with reverse cycle heat
- ◇ Electric fly by wire steering - Volvo® IPS engines
- ◇ Exhaust muffler - generator
- ◇ Fresh water cooling - engines
- ◇ Fuel tanks (2) - 150 gallons (568 liters) each, welded, baffled 5052 aluminum
- ◇ Trim tabs - Lectrotab®, 4 stainless steel flat planes
- ◇ Volvo® IPS joystick control
- ◇ Volvo Penta QL® programmable automatic/manual (4) 450 mm interceptors
- ◇ Volvo IPS active corrosion protection - replaces traditional zinc anodes, triple redundant protection, integrates with EVC displays; monitors & adjusts potential voltage in surrounding water to an acceptable level

ENGINE ROOM

- ◇ Access ladder
- ◇ Bilges coated with white, low-VOC gelcoat for enhanced appearance & ease of maintenance
- ◇ Blower - forced air ventilation
- ◇ Catwalk - diamond plate aluminum
- ◇ Fire suppression system - automatic, FE241 (FM200 in European Community)
- ◇ Full structural bulkheads laminated to hull sides & stringers
- ◇ Insulation - acoustical & thermal, integrated into the laminate
- ◇ Lights - overhead, fluorescent, controls in cockpit

ELECTRICAL

- ◇ AC/DC distribution panels with magnetic circuit breakers & integral generator & bilge blower controls; AC voltmeter AC ampmeter, DC voltmeter & DC ampmeter
- ◇ Batteries (2) - 31 series starting batteries, Deka Marine®, cold cranking rating of 950 amps, reserve capacity of 205 minutes at 23 amp draw, 100 amp/hour rating [(2) engine]
- ◇ Batteries (3) - dedicated 31 series, Deka Marine®, deep cycle, (12V), cold cranking rating of 950 amps, reserve capacity of 225 minutes at 23 amp draw, 105 amp/hour rating [(1) generator, (2) ship service]
- ◇ Battery chargers - (1) 60 amp charger for the engines and ship service batteries; (1) 20 amp charger for the generator battery
- ◇ Battery switches on/off - (2) engine, (1) ship service, (1) generator
- ◇ Dockside inlet - CATV with 50' (15,2 m) white cord
- ◇ Generator - 10 kW 60 Hz (9 kW 50 Hz) Kohler® with sound shield, dedicated 31 series battery & 5 year warranty
- ◇ Ground Fault Circuit Interrupt (GFCI) protection - all electrical outlets
- ◇ Marinc® single 220V/50 amp (220V/32 amp internationally) shore power cord - 50' (15,2 m) white
- ◇ Shore power connector - 50 amp, 220 volt (32 amp internationally)
- ◇ Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

MARQUIS™ 420 Sport Coupe

WATER & HOLDING SYSTEMS

- ◇ Fresh water storage tanks (2) - 70 gallons (265 liters) each polyethylene
- ◇ Fresh water tank level monitor
- ◇ Grey water sump pump - automatic/manual operation for all grey water drainage below waterline
- ◇ ITT Jabsco® fresh water system - variable speed drive pump sensor, Max™, 4.5 gallon/minute (17 liter per minute) flow rate, high flow filter
- ◇ Shore water connection with pressure-reduction valve
- ◇ SHURflo® water system - state of the art plumbing technology
- ◇ Transom handshower - fresh water, hot & cold
- ◇ Waste holding tank - 45 gallons (17 liters) with filtered vent & dockside pumpout
- ◇ Waste tank level monitor
- ◇ Water & waste lines - constructed of molecularly cross-linked polyethylene
- ◇ Water heater - 11 gallons (42 liters)

SAFETY & NAVIGATION

- ◇ 65-5-5-5 marine grade bronze seacocks for all underwater thru-hulls
- ◇ Automatic engine synchronization
- ◇ Anodes - zinc, sacrificial
- ◇ Battery master disconnect switches
- ◇ Battery restraint brackets & boxes
- ◇ Bilge alarm - high water
- ◇ Bilge blowers (12V)
- ◇ Bilge pumps (3) - 2000 gph each (7570 liters/hour), auto/manual operation
- ◇ CO detectors in salon & staterooms
- ◇ Compass - Dan Forth® illuminated, flush-mount 4.5" (11,4 cm) dial
- ◇ Engine alarms - temperature & oil pressure
- ◇ Horn - dual trumpet (12V)
- ◇ Internal bonding system with 8 gauge size wire, ABYC compliant
- ◇ Isolation transformers on the internal shore power lines
- ◇ Windlass package - with 35 lb. (16 kg) Davis® anchor & 150' (46 m) of 5/16" (8 mm) chain
- ◇ Molded nonskid surfaces on all walk decks - diamond pattern
- ◇ Navigation lights - USCG/COL REG approved
- ◇ Spotlight - electronically controlled, Golight® Stryker™
- ◇ Racor® fuel filters

DECKS

- ◇ Anchor roller - over-the stem, stainless steel channel with nylon rollers
- ◇ Bow chafe plate - stainless steel
- ◇ Bow rail - 1" (2,5 cm) O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships & forward
- ◇ Bow rail stanchions - stainless steel, anchored to aluminum backing plates laminated into deck
- ◇ Cleats - 10" (25 cm) stainless steel: anchor (1), bow (2) - hawse pipes; stern (2), spring (4) - bolted through a structural aluminum backing plate
- ◇ Deck portlights (2) port & starboard on foredeck, tinted plexiglass
- ◇ Molded deck toe rail, forward
- ◇ Grab rail - stainless steel, over cabin windows, running length of cabin & above windshields
- ◇ Rub rail molding - heavy-duty, 2" (5 cm) 316L stainless steel insert
- ◇ Windshield weather covers - black mesh

COCKPIT & SWIM PLATFORM

- ◇ Boarding ladder - 3 steps, telescoping with grab rail, concealed in swim platform
- ◇ Extending cockpit - 54 ft² (5 m²) approx., with transom lounge in forward position; extends to 60 ft² (5,6 m²) approx., when lounge slides aft
- ◇ Grab rails - stainless steel, by side deck stairways & on top of transom
- ◇ Hatch - engine room access, guttered, watertight, locking stainless steel latch, gas-assist, ladder to machinery compartment, sized to permit equipment removal
- ◇ Lights - courtesy, recessed, with exterior-mounted switch
- ◇ Lights - overhead, recessed, with exterior-mounted switch, polished chrome
- ◇ Side deck stairways (2) - integral to deck
- ◇ Stereo speakers (2)
- ◇ Storage locker - aft starboard & port corner, fiberglass door
- ◇ Swim platform - 34 ft² (3,2 m²) approx., integral to hull & deck
- ◇ Transom gate - port side, stainless steel, secures closed, stainless steel hardware
- ◇ Transom lounge - slides aft 9" (23 cm) to provide 6 ft² (1/2 m²) approx. additional cockpit space at anchor or dock, accommodates 4 adults, with storage beneath
- ◇ Waste basket - stainless steel

MARQUIS™ 420 Sport Coupe

HELM

- ◇ Access panel - provides access to wiring below helm
- ◇ Accessory space - for installing navigation equipment
- ◇ Accessory outlet - 12 volt
- ◇ Analog electronic clock
- ◇ Beverage holders
- ◇ Displays (1 for each diesel engine) - digital LCD; tachometer, hourmeter, engine oil pressure, engine coolant temperature, engine battery voltage; transmission fluid pressure, transmission fluid temperature, rudder angle
- ◇ Fire extinguisher alarm - automatic
- ◇ Flip down helm step
- ◇ Gauges - analog; fuel level (1 for each tank)
- ◇ Helm seat - bench style, flip-up seat, high-quality marine-grade upholstery, embroidery stitching with fore & aft adjustment
- ◇ Rocker switch controls
- ◇ Tilt steering wheel
- ◇ Windshield wipers (2) & defoggers - port & starboard

SALON

- ◇ AC & DC distribution panel cabinets
- ◇ Accessory battery on/off switch
- ◇ Air conditioning controls - (2)
- ◇ Designer décor - consisting of premium wall coverings & fabrics
- ◇ Electrical outlets
- ◇ Entertainment group - 26" (66 cm) Solé LCD TV with lift, stereo system, DVD/CD player, Apple iPod® dock, Sirius® satellite radio system with 6 month trial subscription, built to durable marine grade standards
- ◇ Entrance door - hinged port panel & bi-fold starboard panel, provides for maximized opening, painted aluminum frame, handle lock & deadbolt
- ◇ Fixed polycarbonate windows
- ◇ Flooring - dark Brazillian Cherry
- ◇ Lights - overhead, with electronic dimmer control, chrome bezels
- ◇ Duette blinds on lower salon windows - décor matched
- ◇ Overhead hatches (2) - glass, manual opening
- ◇ Rocker light switches
- ◇ Sofa - U-shaped on starboard side, storage beneath
- ◇ Stereo speakers (4) - Sonance®
- ◇ Storage cabinets
- ◇ Table - converts to double berth with filler cushions designed to stow under master stateroom berth

GALLEY

- ◇ Countertop - solid surface with raised glass ledge that has etched edges & a hint of green shading
- ◇ Designer décor - consisting of premium wall coverings & fabrics
- ◇ Electrical outlets (2)
- ◇ Flooring - dark Brazillian Cherry
- ◇ Lights - overhead, recessed
- ◇ Liquor cabinet - curved glass door & glass shelves with etched edges; built-in storage for 3 liquor bottles, blue accent lighting
- ◇ Microwave - oven/grill, built-in, stainless steel finish, Tappan®
- ◇ Range - electric, 2-burner, Ceran® top with exhaust fan
- ◇ Refrigerator/freezer - 5.6 ft³ (159 liters), under counter, stainless steel with crisper drawer, Vitrifrigo®
- ◇ Rocker light switches
- ◇ Sink - stainless steel, undermounted with designer faucet
- ◇ Storage cabinet - painted fronts with the look of stainless steel
- ◇ Storage drawers (2) - self-closing drawer slides, painted fronts with the look of stainless steel
- ◇ Utility storage under solé with storage bins in tracks - access through large hatch

MARQUIS™ 420 Sport Coupe

MASTER STATEROOM

- ◇ Air conditioning control
- ◇ Bench seat with cushion
- ◇ Berth - queen, pillowtop innerspring mattress, island with storage beneath, gas-assisted hinges™, wood headboard & padded bolster trim coordinated with hull color
- ◇ Carpet - patterned cut & loop saxony; 100% polypropylene with advanced stain protection; fade-, wear-, crush-resistant; 35 oz.; multi-year warranties; with pad
- ◇ Deck portlights - port & starboard with décor matched sliding shades
- ◇ Designer décor - consisting of premium wall coverings & fabrics
- ◇ Electrical outlets (2)
- ◇ Entrance door - from companionway; secures open & closed, decor matched hardware
- ◇ Hanging locker - full cabin height, designer stainless steel handle, aluminum rail, automatic light
- ◇ Hull portlights - (4) round 8" (20 cm), fixed, non-opening
- ◇ Lights (9) - halogen, overhead, recessed, with electronic dimmer control
- ◇ Lights (2) - halogen, sconce
- ◇ Overhead hatch - translucent, lockable
- ◇ Rocker light switches
- ◇ Sheet set embroidered with Marquis™ logo - fitted sheet, flat sheet, two pillow cases
- ◇ Storage drawers - (2) under berth, designer stainless steel handles
- ◇ Storage cabinet - port side, designer stainless steel handles
- ◇ Storage shelves - hull side
- ◇ Window treatments - curtains

VIP STATEROOM

- ◇ Berth (2) - twin, pillow top innerspring mattress, with storage beneath & padded bolster trim coordinated with hull color
- ◇ Berth step-ups (2) - carpeted
- ◇ Carpet - patterned cut & loop saxony; 100% polypropylene with advanced stain protection; fade-, wear-, crush-resistant; 35 oz.; multi-year warranties; with pad
- ◇ Designer décor - consisting of premium wall coverings & fabrics
- ◇ Electrical outlets (2)
- ◇ Entrance door - from companionway; secures open & closed, decor matched hardware
- ◇ Hanging locker - full cabin height, automatic light
- ◇ Hull portlight (2) - round 8" (20 cm), with screen
- ◇ Light - halogen, over berth head, directable for reading
- ◇ Lights (6) - halogen, overhead, recessed
- ◇ Nightstand - with storage
- ◇ Rocker light switches
- ◇ Skylight
- ◇ Storage drawers - inboard bulkhead, designer stainless steel handles
- ◇ Window treatments - curtains

HEAD

- ◇ Electrical outlet
- ◇ Entrance door - secures closed, integral doorstop, decor matched hardware
- ◇ Exhaust fan
- ◇ Flooring - marble
- ◇ Hull portlight (2) - round 8" (20 cm), frosted glass with screen
- ◇ Lights (4) - halogen, overhead, recessed
- ◇ Medicine cabinet - mirrored doors
- ◇ Rocker light switches
- ◇ Skylight
- ◇ Storage cabinet
- ◇ Toilet - VacuFlush®, pedestal with run/sleep switch
- ◇ Toilet paper holder - wall-mounted
- ◇ Towel bars
- ◇ Vanity cabinet - countertop with vessel sink, storage beneath
- Shower Stall**
- ◇ Nonskid sole
- ◇ Shower door - bi-fold glass in aluminum frame, secures open & closed
- ◇ Shower head - adjustable height, detachable for use as hand-shower
- ◇ Shower light - halogen, overhead, recessed
- ◇ Shower seat - fiberglass

MARQUIS™ 420 Sport Coupe

OWNER PREFERENCE ITEMS

PROPULSION:

- ◇ Volvo Penta® 8.1 IPS
- ◇ Volvo Penta® D6 IPS 450 - 330 hp*
- ◇ Volvo Penta® D6 IPS 500 - 370 hp
- ◇ Volvo Penta® D6 IPS 600 - 435 hp

MECHANICAL:

- ◇ Engine oil change system
- ◇ IPS cockpit joystick control

ELECTRICAL:

- ◇ Single cabling for shorepower

GENERATOR

- ◇ Kohler® 10 kW 60 Hz (9 kW 50 Hz) - Gas*
- ◇ Kohler® 13 kW 60 Hz (11 kW 50 Hz) - Gas
- ◇ Kohler® 10 kW 60 Hz (9 kW 50 Hz) - Diesel
- ◇ Kohler® 13 kW 60 Hz (11 kW 50 Hz) - Diesel

WATER & HOLDING SYSTEMS:

- ◇ Grey water holding system
- ◇ Overboard discharge system

TRANSOM & BOW WASHDOWNS

- ◇ Fresh water only*
- ◇ Seawater only
- ◇ Both fresh & seawater

SAFETY & NAVIGATION:

- ◇ Autopilot - Raymarine® ST6002 with (1) wireless remote
- ◇ Spare propellers - 2 sets of (2) IPS props
- ◇ SeaKey® - satellite based boat security, safety & concierge system; 90 day trial subscription (U.S. & Canada only)
- ◇ Stern capstan winch

NAVIGATION ELECTRONICS PACKAGE

- ◇ Electronics Package: Raymarine® E-Series E120 multifunction navigation display, Raymarine® 240 VHF (hand set), 125 WASS GPS sensor, Raymarine® DSM 300 digital sonar module, Raymarine® B60 dual frequency 50/200 khz depth & temp thru-hull transducer
- ◇ Electronics Package plus Radar - Includes above electronics package plus Raymarine® 4 KW open array radar scanner & additional Raymarine® E-Series E120 multifunction navigation display

AMENITIES:

COCKPIT STORAGE

- ◇ Ice maker - portable, over 30 pounds (14 kg) of ice capacity within 24 hours, Avanti®
- ◇ Refrigerator - Vitri Frigo, 2.1 cubic ft. (59 liters)
- ◇ Storage & waste basket*

EXTERIOR

- ◇ Cockpit table - wood surface with protective cover; attaches to sliding transom lounge
- ◇ Exterior upgrade package - stainless steel anchor, aft flagstaff & stainless steel Marquis engine covers
- ◇ Foredeck sun lounge with cushion
- ◇ Hydraulic swim platform
- ◇ Passarelle
- ◇ Underwater lighting (2) - transom, Ocean LED®, super blue, 40,000 plus hours of life

WINDLASS

- ◇ Freedom 800 - Lo Profile Package*
- ◇ Freedom 800 - Lo Profile Package with capstan

EXTERIOR DECKING

- ◇ Diamond Plate non-skid*
- ◇ Teak decking on swim platform, cockpit and side deck steps
- ◇ Teak decking on swim platform, cockpit, full side deck to bow

HULL COLOR

- ◇ Stone Grey Metallic Paint*
- ◇ Brandywine Metallic Paint

BOTTOM PAINT

- ◇ Black*
- ◇ White

HELM

- ◇ Power 6-way adjustable seat

GALLEY

- ◇ Marquis Exclusive Full lead crystal double old-fashioned glasses, set of 8, etched with logo
- ◇ Marquis Exclusive China (6 place setting)
- ◇ Marquis Exclusive Flatware (6 place setting)

SALON

- ◇ Pillow set - decorator, 8-piece
- ◇ Sunroof - 78"x136" (2 m x 3,5 m) window with a 78"x75" (2 m x 1,9 m) section of electronic opening glass

- ◇ Sunroof shade - manual integrated with sunroof
- ◇ Sunroof shade - integrated with sunroof, Trend® electric powered

SALON STEREO (CHOOSE ONE)

- ◇ Receiver with Clarion® DVD/CD player, & Sirius® satellite radio*
- ◇ Premium stereo upgrade with surround sound - Kenwood® touchscreen stereo in Salon and dual JL Audio® speakers with subwoofer & amplifier in the Cockpit

DINETTE TABLE

- ◇ Converts to double berth*
- ◇ Power actuated high/low table with drop leaf sides

MASTER STATEROOM

- ◇ 19" (48 cm) Solé LCD TV & Clarion® DVD - built to durable marine grade standards
- ◇ Central vacuum system - Wal-Vac®
- ◇ Stereo - CD player, Apple® iPod™ Dock
- ◇ Safe

VIP STATEROOM

- ◇ 15" Solé (38 cm) LCD TV & DVD - built to durable marine grade standards
- ◇ Stereo - Clarion® CD player, Apple® iPod™ Dock

HEAD COMPARTMENT

- ◇ Spa shower with massage jets, steam generator, teak bench seat & teak grate on flooring

INTERIOR WOOD CHOICE

- ◇ Jewel high gloss finish Cherry wood*
- ◇ Satin finished Zebrano wood
- ◇ Jewel high gloss finished Zebrano wood

DECOR ENSEMBLE


- ◇ Palladium (Silver & Burgundy)*
- ◇ China Blue (Silver & Blue)
- ◇ Taupe (Dark Brown)

INTERNATIONAL SPECIFICATIONS:

- ◇ Electrical systems in 220V
- ◇ Entertainment equipment (televisions & stereos) not available in Japan
- ◇ Sirius Satellite radio only available in U.S. & Canada
- ◇ Some electrical equipment is only offered in 120V/60Hz; check with your Marquis Dealer for availability outside the U.S.

MARQUIS™ 420 Sport Coupe

FLOOR PLANS



Genmar Yacht Group LLC ♦ P. O. Box 1010 ♦ Pulaski, WI 54162-1010 ♦ 920.822.1575 ♦ www.marquisyachts.com

Marquis Yachts™ reserves the right to change price, colors, materials, equipment specifications or models without notice. All specifications and measurements are approximate and subject to change. Models may be discontinued without obligation to previous purchasers. Illustrations may include optional equipment. Some electrical equipment is only offered in 120V/60Hz; check with your Marquis Dealer for availability outside the U.S.

©2008 07/08